

- **Wall-mounted enclosures
WRP**



ETI

ETI Polam Sp. z o.o.

ul. Jana Pawła II 18

06-100 Pultusk

Tel. + 48 23 691 93 00

Fax + 48 23 691 93 60

INFOLINIA: +48 801 501 571

etipolam@etipolam.com.pl

www.etipolam.com.pl

● WRP wall-mounted enclosures

● Application

WRP wall-mounted enclosures are used in commercial and industrial installations for assembly of modular devices to ensure adequate equipment protection.

The enclosure is equipped with a rotary latch (ELP) as standard. The latch can be replaced with a lock with a key which prevents from unauthorized access (e.g. limited access in offices).

● Description

WRP wall-mounted enclosures are made of powder coated steel in white colour (RAL 9016).

The enclosure consists of:

- body equipped with TH35x7,5 mounting rails, PE / N clamps and plastic covers (separate for each row),
- doors equipped as standard with a rotary latch (there is a possibility to equip it with a key lock (ELK-ERP) - for individual orders).

In the body of the enclosure, the extrusion are made on the top and bottom to enter the wires. In the rear part there are mounting holes for fixing the enclosure.

● Technical data

WRP enclosures	
Rated voltage Un	400 V AC
IP protection degree	IP 30
Appliance class	I
IK protection degree	IK08
Installation temperature	-25°C do +60°C
Colour	White (RAL 9016)
Door	Metal, white
Enclosure material	Steel
Door material	Steel
Standard	PN-EN 62208:2011 PN-EN 61439-1:2011



WRP12-3

Enclosures WRP12-...				
Type	Description	Code number	Weight [kg]	Packaging [pcs]
WRP12-1	Obudowa natynkowa 1x12 mod.	001101375	4,0	1
WRP12-2	Obudowa natynkowa 2x12 mod.	001101376	5,3	1
WRP12-3	Obudowa natynkowa 3x12 mod.	001101377	6,6	1
WRP12-4	Obudowa natynkowa 4x12 mod.	001101378	7,7	1
WRP12-5	Obudowa natynkowa 5x12 mod.	001101379	9,0	1
WRP12-6	Obudowa natynkowa 6x12 mod.	001101380	10,3	1



WRP18-3


Enclosures WRP18-...				
Type	Description	Code number	Weight [kg]	Packaging [pcs]
WRP18-1	Obudowa natynkowa 1x18 mod.	001101381	5,1	1
WRP18-2	Obudowa natynkowa 2x18 mod.	001101382	6,4	1
WRP18-3	Obudowa natynkowa 3x18 mod.	001101383	8,0	1
WRP18-4	Obudowa natynkowa 4x18 mod.	001101384	10,2	1
WRP18-5	Obudowa natynkowa 5x18 mod.	001101385	11,8	1
WRP18-6	Obudowa natynkowa 6x18 mod.	001101386	13,1	1

Dimensions WRP enclosures


Type	Code number	Max. number of modules	Outside dimension			Terminals quantity PE/N	
			A Width [mm]	B Height [mm]	C Depth [mm]		
WRP12-1	001101375	1x12 mod.	12	313	297	120	1x11/1x11
WRP12-2	001101376	2x12 mod.	24	313	435	120	1x24/2x11
WRP12-3	001101377	3x12 mod.	36	313	570	120	1x24/3x11
WRP12-4	001101378	4x12 mod.	48	313	705	120	1x24/4x11
WRP12-5	001101379	5x12 mod.	60	313	840	120	1x24/6x11
WRP12-6	001101380	6x12 mod.	72	313	975	120	1x24/6x11
WRP18-1	001101381	1x18 mod.	18	441	300	120	1x11/1x11
WRP18-2	001101382	2x18 mod.	36	441	435	120	1x24/2x11
WRP18-3	001101383	3x18 mod.	54	441	570	120	1x24/3x11
WRP18-4	001101384	4x18 mod.	72	441	705	120	1x24/4x11
WRP18-5	001101385	5x18 mod.	90	441	840	120	2x24/5x11
WRP18-6	001101386	6x18 mod.	108	441	975	120	2x24/6x11

Accessories

Type	Name	Code number	Weight [kg]	Packaging [pcs]
EPLMB	Sealing cup	001101278	0,007	100
ELK-ERP	Lock with key	001101279	0,056	1/10
ELP	Catch	001101280	0,012	1/10
ERP-N1	N terminals 11 holes (blue)	001101281	0,044	1/10
ERP-PE1	PE terminals 11 holes (yellow)	001101283	0,044	1/10
ERP-PE2	PE terminals 24 holes (yellow)	001101284	0,090	1/10



Dimensions





ETI Polam Sp. z o.o.
ul. Jana Pawła II 18
06-100 Pultusk
Tel. + 48 23 691 93 00
Fax + 48 23 691 93 60
INFOLINIA: +48 801 501 571
etipolam@etipolam.com.pl
www.etipolam.com.pl